



Randomized Trials and Case Replications of the Good Behavior Game^{®*}/ PAX Good Behavior Game[®]

Visit www.goodbehaviorgame.org or www.paxis. org

PAXIS Institute is the official purveyor of the Good Behavior Game® for replicating famous gold-standard randomized, comparative effectiveness trials at Johns Hopkins University, Center for Prevention and Early Intervention. The commercial version, PAX Good Behavior Game®, includes the original recipe used at Hopkins, originally written by and trained by Dr. Jaylan Turkkan [1]. The commercially available version includes additional evidence-based kernels [2, 3] to improve ease of learning, training and fidelity of implementation as well as improve reliability of proximal outcomes across diverse ages, grades, languages, social-economic backgrounds and cultures [4, 5]. Materials, training, coaching/mentoring, and data monitoring for implementation and proximal results are standardized in iOS, Android & Web applications.

Since 1999 when PAXIS began real world replications, approximately 30,000 teachers have been trained to use the Good Behavior Game® by PAXIS Institute in 38 states, multiple provinces of Canada, as well as First Nations in North America, Europe, and Australia. Randomized trials and scale-up/replication studies related to Good Behavior Game (Cohorts 1-2) and PAX Good Behavior Game commercialized for replication at Hopkins and other sites nationally or internationally include:

Randomized Trials at Johns Hopkins

All past and current randomized trials at Johns Hopkins used randomized comparative effectiveness trials.

- 1. Citations for Cohort 1 Randomized Trial at Johns Hopkins (*principal investigator: Kellam*) [6-21], which involved two years of exposure to GBG (1st and 2nd grade).
- 2. Citations for Cohort 2 Randomized Trial at Johns Hopkins (*principal investigator: Ialongo*) [14, 21-26], which had one year of exposure in 1st grade.
- 3. Citations for Cohort 3 Randomized Trial at Johns Hopkins in schools and on-line (*principal investigator: Ialongo*) [21, 27-35]

Other Randomized PAX GBG or Precursor/Replication Trials

- 4. Citations for Randomized Trial in Pennsylvania in Afterschool Settings (*principal investigator: Phillips-Smith*) [36-39]
- 5. Citations for Population-Level (All Districts), Randomized Trial in Manitoba, Canada (*Manitoba Centre for Health Policy/Healthy Child Manitoba*) [40, 41]
- 6. Citations for Randomized Trial in Alberta, Canada (principal investigators: Prinz and Embry) [42]
- 7. Citations for Randomized Trials in the European Union (Estonia and Northern Ireland) [43, 44]
- 8. Citations for PeaceBuilders Randomized Trial K-5 schools (precursor of evidence-based kernels plus GBG) (*principal investigator: Embry*) [5, 45-47]

PAX GBG Case Studies or Population-Level Replications

- 9. Whole County Evaluation of PAX GBG impact on standardized reading and math scores [48]
- 10. Case PAX GBG replication in the Republic of Ireland [49]
- 11. Case PAX GBG replication in 200+ K-8 classrooms in South Chicago [50].
- 12. Case PAX GBG rapid 8-week replication in 186 Title I classrooms across 8 school districts commissioned by the Substance Abuse and Mental Health Services Administration [51].

^{*} Good Behavior Game® and PAX Good Behavior Game® are registered trademarks of PAXIS Institute.

Citations and References

- 1. Turkkan, J., *The Good Behavior Game Manual*. 1988, John Hopkins School of Hygiene and Public Health, Department of Mental Hygiene: Baltimore, MD. p. 38.
- 2. Embry, D.D. and A. Biglan, *Evidence-Based Kernels: Fundamental Units of Behavioral Influence*. Clinical Child & Family Psychology Review, 2008. **11**(3): p. 75-113.
- 3. Embry, D.D., *Community-Based Prevention Using Simple, Low-Cost, Evidence-Based Kernels and Behavior Vaccines.* Journal of Community Psychology, 2004. **32**(5): p. 575.
- 4. Embry, D.D., *The Good Behavior Game: A Best Practice Candidate as a Universal Behavioral Vaccine*. Clinical Child & Family Psychology Review, 2002. **5**(4): p. 273-297.
- 5. Flannery, D.J., et al., *Initial behavior outcomes for the PeaceBuilders universal school-based violence prevention program.* Developmental Psychology, 2003. **39**(2): p. 292-308.
- 6. Kellam, S.G., et al., *The course and malleability of aggressive behavior from early first grade into middle school: Results of a developmental epidemiology-based preventive trial.* Journal of Child Psychology and Psychiatry, 1994. **35**: p. 259-281.
- 7. Kellam, S.G., et al., *The effect of the level of aggression in the first grade classroom on the course and malleability of aggressive behavior into middle school.* Development and Psychopathology, 1998. **10**: p. 165-185.
- 8. Kellam, S.G. and J.C. Anthony, *Targeting early antecedents to prevent tobacco smoking: Findings from an epidemiologically based randomized field trial.* American Journal of Public Health, 1998. **88**(10): p. 1490-1495.
- 9. Kellam, S.G., et al., *Erratum: The effect of the level of aggression in the first grade classroom on the course and malleability of aggressive behavior into middle school.* Development & Psychopathology, 2000. **12**(1): p. 107.
- 10. Kellam, S.G., et al., "The effect of the level of aggression in the first grade classroom on the course and malleability of aggressive behavior into middle school": Erratum. Development & Psychopathology, 1999. **11**(1): p. 193.
- 11. Petras, H., et al., *Developmental epidemiological courses leading to antisocial personality disorder and violent and criminal behavior: Effects by young adulthood of a universal preventive intervention in first- and second-grade classrooms.* Drug & Alcohol Dependence, 2008(Special Issue): p. 15.
- 12. Kellam, S., et al., *Effects of a universal classroom behavior management program in first and second grades on young adult behavioral, psychiatric, and social outcomes,*. Drug & Alcohol Dependence, 2008(Special Issue): p. 24.
- 13. Brown, C.H., et al., *Prevention of aggressive behavior through middle school using a first-grade classroom-based intervention*, in *Recognition and prevention of major mental and substance use disorders*. 2007, Arlington, VA, US: American Psychiatric Publishing, Inc. p. 347-369.
- 14. Petras, H., et al., *When the course of aggressive behavior in childhood does not predict antisocial outcomes in adolescence and young adulthood: An examination of potential explanatory variables.* Development & Psychopathology, 2004. **16**(4): p. 919.
- 15. Petras, H., et al., *Utility of TOCA-R scores during the elementary school years in identifying later violence among adolescent males.* Journal of the American Academy of Child & Adolescent Psychiatry, 2004. **43**(1): p. 88-96.
- 16. Wilcox, H.C., et al., *The impact of two universal randomized first- and second-grade classroom interventions on young adult suicide ideation and attempts.* Drug & Alcohol Dependence, 2008(Special Issue): p. 14.
- 17. Wang, Y., et al., *The effect of two elementary school-based prevention interventions on being offered tobacco and the transition to smoking.* Drug Alcohol Depend, 2012. **120**(1-3): p. 202-8.
- 18. Kellam, S.G., et al., *The Impact of the Good Behavior Game, a Universal Classroom-Based Preventive Intervention in First and Second Grades, on High-Risk Sexual Behaviors and Drug Abuse and Dependence Disorders into Young Adulthood.* Prev Sci, 2012.
- Kellam, S.G., et al., *The good behavior game and the future of prevention and treatment*. Addict Sci Clin Pract, 2011. 6(1): p. 73-84.
 Yan, W., et al., *Depressed mood and the effect of two universal first grade preventive interventions on survival to the first tobacco cigarette smoked among urban youth*. Drug and Alcohol Dependence, 2009. 100(3): p. 194-203.
- Acosta, J.D., et al., A cluster-randomized trial of restorative practices: An illustration to spur high-quality research and evaluation. Journal of Educational & Psychological Consultation, 2016. 26(4): p. 413-430.
- 22. Ialongo, N., et al., *Proximal impact of two first-grade preventive interventions on the early risk behaviors for later substance abuse, depression, and antisocial behavior.* American Journal of Community Psychology, 1999. **27**(5): p. 599-641.
- 23. Storr, C.L., et al., A randomized controlled trial of two primary intervention strategies to prevent early onset tobacco smoking. Drug & Alcohol Dependence, 2002. **66**(1): p. 51.
- 24. Ialongo, N., et al., *The distal impact of two first-grade preventive interventions on conduct problems and disorder in early adolescence.* Journal of Emotional & Behavioral Disorders, 2001. **9**(3): p. 146-160.
- 25. Furr-Holden, C.D., et al., *Developmentally inspired drug prevention: middle school outcomes in a school-based randomized prevention trial.* Drug & Alcohol Dependence, 2004. **73**(2): p. 149-58.
- 26. Bradshaw, C.P., et al., *Longitudinal Impact of Two Universal Preventive Interventions in First Grade on Educational Outcomes in High School.* Journal of Educational Psychology, 2009. **101**(4): p. 926-937.
- 27. Hart, S.R., et al., Evaluating the Effects of Two Randomized Controlled Universal Preventive Interventions for Students in Special Education J. Hopkins, Editor. 2018.
- 28. Domitrovich, C.E., et al., *How Do School-Based Prevention Programs Impact Teachers? Findings from a Randomized Trial of an Integrated Classroom Management and Social-Emotional Program.* Prev Sci, 2016. **17**(3): p. 325-37.
- 29. Pas, E.T., et al., *Identifying patterns of coaching to support the implementation of the Good Behavior Game: The role of teacher characteristics.* School Mental Health, 2015. **7**(1): p. 61-73.

- 30. Domitrovich, C.E., et al., *Individual and school organizational factors that influence implementation of the PAX Good Behavior Game intervention*. Prevention Science, 2015. **16**(8): p. 1064-1074.
- 31. Becker, K.D., et al., *Online training for teachers delivering evidence-based preventive interventions*. School Mental Health, 2014. **6**(4): p. 225-236.
- 32. Becker, K.D., et al., *Supporting universal prevention programs: A two-phased coaching model*. Clinical Child and Family Psychology Review, 2013. **16**(2): p. 213-28.
- 33. Becker, K.D., et al., *Coaching teachers to improve implementation of the good behavior game.* Administration and Policy in Mental Health and Mental Health Services Research, 2013: p. No Pagination Specified.
- 34. Domitrovich, C.E., et al., *Integrated models of school-based prevention: Logic and theory*. Psychology in the Schools, 2010. **47**(1): p. 71-88.
- 35. Johnson, S.R., et al., *Promoting teachers' implementation of classroom-based prevention programming through coaching: The mediating role of the coach-teacher relationship.* Administration and Policy in Mental Health and Mental Health Services Research, 2017: p. No Pagination Specified-No Pagination Specified.
- 36. Smith, E.P., et al., *Promoting Afterschool Quality and Positive Youth Development: Cluster Randomized Trial of the Pax Good Behavior Game.* Prev Sci, 2018. **19**(2): p. 159-173.
- 37. Smith, E.P., et al., *Promoting afterschool quality and positive youth development: Cluster randomized trial of the pax good behavior game.* Prevention Science, 2017: p. No Pagination Specified-No Pagination Specified.
- Smith, E.P. and C.P. Bradshaw, *Promoting Nurturing Environments in Afterschool Settings*. Clin Child Fam Psychol Rev, 2017. 20(2): p. 117-126.
- 39. Wise, E., E. Smith, and Y. Shobo, *Connecting the Dots for Children in Afterschool Programs: Evaluation of the PAX Good Behavior Game in Afterschool Programs*. January, 2014, The Pennsylvania State University: University Park, PA. p. 65.
- 40. Fortier, J., et al., Adapting and enhancing PAX Good Behavior Game for First Nations communities: a mixed-methods study protocol developed with Swampy Cree Tribal Council communities in Manitoba. BMJ Open, 2018. 8(2): p. e018454.
- 41. Jiang, D., et al., A Comparison of Variable- and Person-Oriented Approaches in Evaluating a Universal Preventive Intervention. Prev Sci, 2018.
- 42. Pazderka, H., et al., *Testing the PAX Good Behavior Game with and without school-based parenting support: study description and practical challenges.* International Journal of Mental Health Promotion, 2017. **19**(4): p. 173-188.
- 43. Streimann, K., et al., *Effectiveness of a universal classroom-based preventive intervention (PAX GBG): A research protocol for a matched-pair cluster-randomized controlled trial.* Contemporary Clinical Trials Communications, 2017. **8**(Supplement C): p. 75-84.
- 44. O'Keeffe, J., et al., *Protocol: A feasibility study and a pilot cluster randomised controlled trial of the PAX 'Good Behaviour Game' in disadvantaged schools.* Using Randomised Controlled Trials in Education, 2017.
- Vazsonyi, A.T., L.M. Belliston, and D.J. Flannery, Evaluation of a School-Based, Universal Violence Prevention Program: Low-, Medium-, and High-Risk Children. Youth Violence and Juvenile Justice, 2004. 2(2): p. 185-206.
- 46. Krug, E.G., et al., *The impact of an elementary school-based violence prevention program on visits to the school nurse*. American Journal of Preventive Medicine, 1997. **13**(6): p. 459-63.
- 47. Embry, D.D., et al., *PeaceBuilders: A theoretically driven, school-based model for early violence prevention.* American Journal of Preventive Medicine, 1996. **12**(5, Suppl): p. 91.
- 48. Weis, R., K.J. Osborne, and E.L. Dean, *Effectiveness of a universal, interdependent group contingency program on children's academic achievement: A countywide evaluation.* Journal of Applied School Psychology, 2015. **31**(3): p. 199-218.
- 49. O'Donnell, M., et al., Supporting the development of pupils' self-regulation skills: Evaluation of the PAX GBG Programme in Ireland. Irish Teachers' Journal, 2016. 4 (1): p. 9-29.
- 50. Embry, D.D., *The Good Behavior Game: a best practice candidate as a universal behavioral vaccine*. Clinical Child & Family Psychology Review, 2002. **5**(4): p. 273-97.
- 51. Wilson, D.S., et al., *Evolving the Future: Toward a Science of Intentional Change*. Brain and Behavioral Sciences, 2014. **37**(4): p. 395-416.